



FLEXIBLE VIDEO SCOPE

VISIBLE everywhere

IN-VISION™

VISIBLE everywhere
IN-VISION™

ACE-Pro



KEY

ACE-Pro Key consists of MENU, Option, OK, Brightness Control Knob (Left, Right), Zoom (+,-), Back, Power.



Camera

The camera is placed at the tip of the Insertion Tube. This camera is specially designed for acting as a light source, capturing images, and refraction.



Articulation of Manual control

Two (2) way articulation: The insertion tube has such a narrow diameter that it is able to move and view freely, even in tiny spaces by way of remote control.

Removable battery

Charge unit for at least four (4) hours prior to first time use. Use it for the first time, Full charge enables about 7 hours of use.



Caretex's **ACE-Pro VIDEO SCOPE** can remotely detect surface flaws and cracks in hard to reach areas of mechanical components normally undetectable to the human eye.

ACE-Pro

Monitor with built-in type VIDEO SCOPE

- Excellent portability
- Subminiature and very light
- Internal battery (for up to 7 Hours use)
- 2way articulation control with both the left and right sides.
- Video Recording Storage Format
- Still Image Storage Format
- Image Replay feature (Storage and JPEG)
- 4.3" TFT LCD Monitor
- Digital Zoom
- USB
- Remaining
- Removable battery

Specification

- Camera Sensor& Resolution : COMS/QVGA
- Field of View : 64°
- Direction of View : Forward view
- Depth of Field : 30mm~infinity
- Light Source : 6 White LED
- Display : 4.3"Digital LCD
- Video Recording Format : Mpeg-4
- Still Image Storage Format : JPEG
- Battery : rechargeable Li-ion(7.2V 4400mA)
- Water Resistant : Insertion probe only
- Working Temperature : 0° ~50° C
- Working Length : 2/3meter
- Outer Diameter : 6.8mm



ACE-Pro

Flexible Video Scope IN-VISION

PRODUCT MIX

VISIBLE everywhere
IN-VISION™



SD MEMORY CARD



4.3" Digital LCD



Body Cover



6xLED Light source



ACE-Pro OF CUSTODY CASE